



INDOOR TECHNICAL LIGHTING



PRICE LIST
SEPTEMBER 2024




About Litomatic

Established in 1992 as Kardhar Electric Co., Litomatic has grown into a leading name in the lighting industry. With Raj Kothari joining in 2011 and supported by Ashish Kothari's expertise, Litomatic expanded by importing lighting goods from China in 2013. Formally founded in 2016, Litomatic swiftly pioneered remote-controlled tunable and dimmable lighting in India, ensuring superior products through extensive testing in Udaipur. Litomatic also boasts a well-equipped in-house lab that supports its manufacturing processes, enhancing reliability and delivering complete lighting solutions without needing external consultants or service providers. Participation in key exhibitions from 2017 to 2019 bolstered its reputation, leading to a state-of-the-art manufacturing facility.

Guided by in-house R&D, Litomatic's advanced LED and COB technology ensures precision and efficiency. The brand's commitment to the 'Make in India' initiative and over 300+ dies and moulds reflect its dedication to innovation and quality. With a network of over 300 partners across 110+ cities, Litomatic continues to revolutionise spaces with exceptional yet economical lighting solutions. Litomatic stands as a beacon of excellence, poised to illuminate the future.

CERTIFIED




ABOUT **Select** SERIES



Introducing the Select Lighting Series by Litomatic—a pinnacle of premium illumination, designed to enhance luxurious residential settings with unparalleled elegance. This exclusive range offers exceptional anti-glare performance, blending seamlessly into sophisticated interiors and providing a soothing visual experience. Equipped with top-tier drivers, each fixture delivers superior energy efficiency, flicker-free illumination, and extended longevity. These products also feature advanced optics for outstanding performance, making them a preferred choice for discerning architects, interior designers and lighting consultants. The Select Series strikes a perfect balance of aesthetics and performance, elevating the ambience of any high-end living space with lasting brilliance.



RF 2.4G  + BLE 



Phantom



Watt	: 07w Round Spotlight	
Dimension	: 62 X 83 mm	
Cut Out	: 55 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	1850/-	
CCT & Dim RF+BLE V5	2000/-	
Single Color	1150/-	
Single Color Triac Dim	1650/-	
CCT & Dim Triac	2500/-	
Single Color Dim (DT6 Euchips/Lifud)	2850/-	
CCT & Dim (DT8 Euchips/Lifud)	3450/-	

Phantom



Watt	: 12/15w Round Spotlight	
Dimension	: 85 X 95 mm	
Cut Out	: 75 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	2200/- 2350/-	
CCT & Dim RF+BLE V5	2350/- 2500/-	
Single Color	1600/- 1700/-	
Single Color Triac Dim	2100/- 2200/-	
CCT & Dim Triac	2850/- 3000/-	
Single Color Dim (DT6 Euchips/Lifud)	3300/- 3450/-	
CCT & Dim (DT8 Euchips/Lifud)	3800/- 4200/-	

Phantom



Watt	: 20/25w Round Spotlight	
Dimension	: 110 X 115 mm	
Cut Out	: 95 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	3100/- 3200/-	
CCT & Dim RF+BLE V5	3300/- 3450/-	
Single Color	2100/- 2250/-	
Single Color Triac Dim	2900/- 3000/-	
CCT & Dim Triac	4100/- 4250/-	
Single Color Dim (DT6 Euchips/Lifud)	4200/- 4300/-	
CCT & Dim (DT8 Euchips/Lifud)	4700/- 4850/-	

Phantom

Double



Watt	: 2X 07w Round Spotlight	
Dimension	: 140 X 80 X 87 mm	
Cut Out	: 125 X 65 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	3700/-	
CCT & Dim RF+BLE V5	4000/-	
Single Color	2400/-	
Single Color Triac Dim	3300/-	
CCT & Dim Triac	5000/-	
Single Color Dim (DT6 Euchips/Lifud)	5700/-	
CCT & Dim (DT8 Euchips/Lifud)	6850/-	

Phantom

Double



Watt	: 2 X 12/15w Round Spotlight	
Dimension	: 195 X 105 X 105 mm	
Cut Out	: 180 X 90 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	4500/- 4700/-	
CCT & Dim RF+BLE V5	4800/- 5000/-	
Single Color	3300/- 3600/-	
Single Color Triac Dim	4200/- 4500/-	
CCT & Dim Triac	5800/- 5900/-	
Single Color Dim (DT6 Euchips/Lifud)	6600/- 6900/-	
CCT & Dim (DT8 Euchips/Lifud)	7700/- 8500/-	

Phantom

Double



Watt	: 2 X 20/25w Round Spotlight	
Dimension	: 240 X 125 X 127 mm	
Cut Out	: 235 X 110 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	6200/- 6350/-	
CCT & Dim RF+BLE V5	6550/- 6700/-	
Single Color	4250/- 4500/-	
Single Color Triac Dim	5800/- 5950/-	
CCT & Dim Triac	8300/- 8450/-	
Single Color Dim (DT6 Euchips/Lifud)	8450/- 8600/-	
CCT & Dim (DT8 Euchips/Lifud)	9400/- 9600/-	

Phantom

Pin Hole



Watt	: 12/15w Pin Hole Spotlight	
Dimension	: 85 X 95 mm	
Cut Out	: 75 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	2200/- 2350/-	
CCT & Dim RF+BLE V5	2350/- 2500/-	
Single Color	1600/- 1700/-	
Single Color Triac Dim	2100/- 2200/-	
CCT & Dim Triac	2850/- 3000/-	
Single Color Dim (DT6 Euchips/Lifud)	3300/- 3450/-	
CCT & Dim (DT8 Euchips/Lifud)	3800/- 4200/-	

Phantom

Wall Washer



Watt	: 12/15w Wall Washer Spotlight	
Dimension	: 85 X 95 mm	
Cut Out	: 75 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	2200/- 2350/-	
CCT & Dim RF+BLE V5	2350/- 2500/-	
Single Color	1600/- 1700/-	
Single Color Triac Dim	2100/- 2200/-	
CCT & Dim Triac	2850/- 3000/-	
Single Color Dim (DT6 Euchips/Lifud)	3300/- 3450/-	
CCT & Dim (DT8 Euchips/Lifud)	3800/- 4200/-	

Phantom

Trimless



Watt	: 07w Round Trimless Spotlight	
Dimension	: 55 X 83 mm	
Cut Out	: 55 mm	
Beam Angle	: 15/24/36/60°	
Type	List Price	
CCT & Dim RF	1950/-	
CCT & Dim RF+BLE V5	2100/-	
Single Color	1250/-	
Single Color Triac Dim	1700/-	
CCT & Dim Triac	2600/-	
Single Color Dim (DT6 Euchips/Lifud)	2900/-	
CCT & Dim (DT8 Euchips/Lifud)	3600/-	

Phantom

Trimless




Watt	: 12/15w Round Trimless Spotlight
Dimension	: 75 X 95mm
Cut Out	: 75 mm
Beam Angle	: 15/24/36/60°

Type	List Price
CCT & Dim RF	2250/- 2400/-
CCT & Dim RF+BLE V5	2400/- 2550/-
Single Color	1700/- 1800/-
Single Color Triac Dim	2150/- 2300/-
CCT & Dim Triac	2900/- 3050/-
Single Color Dim (DT6 Euchips/Lifud)	3350/- 3500/-
CCT & Dim (DT8 Euchips/Lifud)	3850/- 4250/-

Phantom

Trimless






Watt	: 20/25w Round Trimless Spotlight
Dimension	: 92 X 115 mm
Cut Out	: 95 mm
Beam Angle	: 15/24/36/60°

Type	List Price
CCT & Dim RF	3200/- 3300/-
CCT & Dim RF+BLE V5	3400/- 3500/-
Single Color	2150/- 2350/-
Single Color Triac Dim	2950/- 3100/-
CCT & Dim Triac	4200/- 4400/-
Single Color Dim (DT6 Euchips/Lifud)	4250/- 4400/-
CCT & Dim (DT8 Euchips/Lifud)	4800/- 4900/-

Phantom

Square

Watt	: 12/15w Square Spotlight
Dimension	: 85 X 85 X 105 mm
Cut Out	: 75 X 75 mm
Beam Angle	: 15/24/36/60°

Type	List Price
CCT & Dim RF	2300/- 2400/-
CCT & Dim RF+BLE V5	2450/- 2550/-
Single Color	1600/- 1700/-
Single Color Triac Dim	2100/- 2300/-
CCT & Dim Triac	2950/- 3100/-
Single Color Dim (DT6 Euchips/Lifud)	3300/- 3450/-
CCT & Dim (DT8 Euchips/Lifud)	3900/- 4300/-

Phantom

Square Double




Watt	: 2X12/15w Square Double Spotlight
Dimension	: 180 X 90 X 105 mm
Cut Out	: 170 X 80 mm
Beam Angle	: 15/24/36/60°

Type	List Price
CCT & Dim RF	4450/- 4600/-
CCT & Dim RF+BLE V5	4800/- 4950/-
Single Color	3300/- 3600/-
Single Color Triac Dim	4200/- 4400/-
CCT & Dim Triac	5750/- 5900/-
Single Color Dim (DT6 Euchips/Lifud)	6600/- 6900/-
CCT & Dim (DT8 Euchips/Lifud)	7700/- 8400/-

NEW ARRIVAL

Punch



Watt	: 10-12w Round Spotlight
Dimension	: 56 X 80 mm
Cut Out	: 50 mm
Beam Angle	: 38°

Type	List Price
CCT & Dim RF	2400/-
CCT & Dim RF+BLE V5	2550/-
Single Color	1800/-
Single Color Triac Dim	2200/-
CCT & Dim Triac	2950/-
Single Color Dim (DT6 Euchips/Lifud)	3300/-
CCT & Dim (DT8 Euchips/Lifud)	3800/-

NEW ARRIVAL

Blaze



Available From 1st OCT



Watt	: 10-12w Round Spotlight
Dimension	: 52 X 90 mm
Cut Out	: 45 mm
Beam Angle	: 24/36/50°

Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	1200/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2400/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-

NEW ARRIVAL

Cone



Available From 1st OCT



Watt	: 10-12w Round Spotlight
Dimension	: 52 X 90 mm
Cut Out	: 45 mm
Beam Angle	: 24/36/50°

Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	1200/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2400/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-

NEW ARRIVAL

Star



Available From 1st OCT



Watt	: 10-12w Round Spotlight
Dimension	: 52 X 90 mm
Cut Out	: 45 mm
Beam Angle	: 24/36/50°

Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	1200/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2400/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-

NEW ARRIVAL

Spirit



Watt	: 7w Round Spotlight
Dimension	: 62 X 60 mm
Cut Out	: 55 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1200/-
Single Color Triac Dim	1700/-
CCT & Dim Triac	2450/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-

NEW
ARRIVAL

Spirit



Watt	: 12w Round Spotlight
Dimension	: 74 X 71 mm
Cut Out	: 65 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2150/-
CCT & Dim RF+BLE V5	2300/-
Single Color	1450/-
Single Color Triac Dim	1900/-
CCT & Dim Triac	2750/-
Single Color Dim (DT6 Euchips/Lifud)	3000/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

NEW
ARRIVAL

Ford



Available From 1st OCT

Watt	: 12/15w Round Spotlight
Dimension	: 96 X 45 mm
Cut Out	: 90 mm
Beam Angle	: 24/36/60°

Type	List Price
CCT & Dim RF	1850/- 1950/-
CCT & Dim RF+BLE V5	2000/- 2100/-
Single Color	1250/- 1350/-
Single Color Triac Dim	1700/- 1850/-
CCT & Dim Triac	2450/- 2600/-
Single Color Dim (DT6 Euchips/Lifud)	2750/- 2900/-
CCT & Dim (DT8 Euchips/Lifud)	3400/- 3950/-

NEW
ARRIVAL

Ford



Available From 1st OCT

Watt	: 20/25w Round Spotlight
Dimension	: 105 X 45 mm
Cut Out	: 98 mm
Beam Angle	: 24/36/60°

Type	List Price
CCT & Dim RF	2550/- 2700/-
CCT & Dim RF+BLE V5	2700/- 2900/-
Single Color	1600/- 1750/-
Single Color Triac Dim	2350/- 2500/-
CCT & Dim Triac	3600/- 3700/-
Single Color Dim (DT6 Euchips/Lifud)	3650/- 3800/-
CCT & Dim (DT8 Euchips/Lifud)	4100/- 4300/-

Arrow



Watt	: 07w Round Spotlight
Dimension	: 41 X 85 mm
Cut Out	: 35 mm
Beam Angle	: 24/36/50°

Type	List Price
CCT & Dim RF	1600/-
CCT & Dim RF+BLE V5	1750/-
Single Color	950/-
Single Color Triac Dim	1400/-

Arrow



Watt	: 12w Round Spotlight
Dimension	: 55 X 100 mm
Cut Out	: 48 mm
Beam Angle	: 24/36/50°

Type	List Price
CCT & Dim RF	1850/-
CCT & Dim RF+BLE V5	2000/-
Single Color	1200/-
Single Color Triac Dim	1700/-
CCT & Dim Triac	2450/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Intense



Watt	: 07w Round Spotlight
Dimension	: 72 X 48 mm
Cut Out	: 62mm
Beam Angle	: 24/36/55°

Type	List Price
CCT & Dim RF	1550/-
CCT & Dim RF+BLE V5	1700/-
Single Color	900/-
Single Color Triac Dim	1350/-
CCT & Dim Triac	2200/-
Single Color Dim (DT6 Euchips/Lifud)	2550/-
CCT & Dim (DT8 Euchips/Lifud)	3100/-


Intense



Watt	: 12/15w Round Spotlight
Dimension	: 83 X 58 mm
Cut Out	: 73 mm
Beam Angle	: 24/36/55°

Type	List Price
CCT & Dim RF	1800/- 1900/-
CCT & Dim RF+BLE V5	1950/- 2100/-
Single Color	1200/- 1350/-
Single Color Triac Dim	1650/- 1750/-
CCT & Dim Triac	2450/- 2550/-
Single Color Dim (DT6 Euchips/Lifud)	2850/- 3000/-
CCT & Dim (DT8 Euchips/Lifud)	3400/- 3800/-

Intense



Watt	: 20/25w Round Spotlight
Dimension	: 100 X 73 mm
Cut Out	: 85 mm
Beam Angle	: 24/36/55°

Type	List Price
CCT & Dim RF	2450/- 2600/-
CCT & Dim RF+BLE V5	2650/- 2750/-
Single Color	1500/- 1650/-
Single Color Triac Dim	2300/- 2400/-
CCT & Dim Triac	3500/- 3650/-
Single Color Dim (DT6 Euchips/Lifud)	3700/- 3700/-
CCT & Dim (DT8 Euchips/Lifud)	4050/- 4150/-

NEW
ARRIVAL

Evoke



Available From 10th OCT

Watt	: 12w Round Spotlight
Dimension	: 62 X 75 mm
Cut Out	: 55 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2400/-
CCT & Dim RF+BLE V5	2550/-
Single Color	1750/-
Single Color Triac Dim	2200/-
CCT & Dim Triac	3000/-
Single Color Dim (DT6 Euchips/Lifud)	3250/-
CCT & Dim (DT8 Euchips/Lifud)	3850/-

NEW ARRIVAL

Evoke



Available From 10th OCT

Watt	: 20w Round Spotlight
Dimension	: 75 X 85 mm
Cut Out	: 65 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	3550/-
CCT & Dim RF+BLE V5	3700/-
Single Color	2600/-
Single Color Triac Dim	3350/-
CCT & Dim Triac	4500/-
Single Color Dim (DT6 Euchips/Lifud)	4550/-
CCT & Dim (DT8 Euchips/Lifud)	5000/-

NEW ARRIVAL

Evoke

Trimless



Available From 10th OCT

Watt	: 12w Round Trimless Spotlight
Dimension	: 80 X 75 mm
Cut Out	: 55 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2700/-
CCT & Dim RF+BLE V5	2850/-
Single Color	2000/-
Single Color Triac Dim	2450/-
CCT & Dim Triac	3250/-
Single Color Dim (DT6 Euchips/Lifud)	3550/-
CCT & Dim (DT8 Euchips/Lifud)	4150/-

NEW ARRIVAL

Evoke

Trimless



Available From 10th OCT

Watt	: 20w Round Trimless Spotlight
Dimension	: 112 X 84 mm
Cut Out	: 85 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	3900/-
CCT & Dim RF+BLE V5	4050/-
Single Color	2900/-
Single Color Triac Dim	3650/-
CCT & Dim Triac	4800/-
Single Color Dim (DT6 Euchips/Lifud)	4850/-
CCT & Dim (DT8 Euchips/Lifud)	5350/-

NEW ARRIVAL

Bravo



Available From 10th OCT

Watt	: 12w Round Spotlight
Dimension	: 62 X 75 mm
Cut Out	: 55 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2400/-
CCT & Dim RF+BLE V5	2550/-
Single Color	1750/-
Single Color Triac Dim	2200/-
CCT & Dim Triac	3000/-
Single Color Dim (DT6 Euchips/Lifud)	3250/-
CCT & Dim (DT8 Euchips/Lifud)	3850/-

NEW ARRIVAL

Bravo



Available From 10th OCT

Watt	: 20w Round Spotlight
Dimension	: 75 X 85 mm
Cut Out	: 65 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	3550/-
CCT & Dim RF+BLE V5	3700/-
Single Color	2600/-
Single Color Triac Dim	3350/-
CCT & Dim Triac	4500/-
Single Color Dim (DT6 Euchips/Lifud)	4550/-
CCT & Dim (DT8 Euchips/Lifud)	5000/-

NEW ARRIVAL

Bravo

Trimless



Available From 10th OCT

Watt	: 12w Round Spotlight
Dimension	: 80 X 75 mm
Cut Out	: 55 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2700/-
CCT & Dim RF+BLE V5	2850/-
Single Color	2000/-
Single Color Triac Dim	2450/-
CCT & Dim Triac	3250/-
Single Color Dim (DT6 Euchips/Lifud)	3550/-
CCT & Dim (DT8 Euchips/Lifud)	4150/-

NEW ARRIVAL

Bravo

Trimless




Available From 10th OCT

Watt	: 20w Round Trimless Spotlight
Dimension	: 112 X 85 mm
Cut Out	: 75 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	3900/-
CCT & Dim RF+BLE V5	4050/-
Single Color	2900/-
Single Color Triac Dim	3650/-
CCT & Dim Triac	4800/-
Single Color Dim (DT6 Euchips/Lifud)	4850/-
CCT & Dim (DT8 Euchips/Lifud)	5350/-

NEW ARRIVAL

Oscar



Watt : 7w Round Spotlight

Dimension	: 75 X 72 mm
Cut Out	: 65 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1300/-
Single Color Triac Dim	1700/-
CCT & Dim Triac	2450/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3300/-

NEW ARRIVAL

Oscar




Watt : 12w Round Spotlight

Dimension	: 85 X 82 mm
Cut Out	: 75 mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2200/-
CCT & Dim RF+BLE V5	2350/-
Single Color	1550/-
Single Color Triac Dim	1950/-
CCT & Dim Triac	2750/-
Single Color Dim (DT6 Euchips/Lifud)	3000/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

NEW ARRIVAL


Oscar



Watt	: 20w Round Spotlight
Dimension	: 105 X 98 mm
Cut Out	: 95 mm
Beam Angle	: 36°
Type	List Price
CCT & Dim RF	2900/-
CCT & Dim RF+BLE V5	3050/-
Single Color	2000/-
Single Color Triac Dim	2700/-
CCT & Dim Triac	3800/-
Single Color Dim (DT6 Euchips/Lifud)	3850/-
CCT & Dim (DT8 Euchips/Lifud)	4300/-

NEW ARRIVAL


Roast



Watt	: 7w Round Spotlight
Dimension	: 60 X 78 mm
Cut Out	: 55mm
Beam Angle	: 36°
Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	1200/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2400/-
Single Color Dim (DT6 Euchips/Lifud)	2650/-
CCT & Dim (DT8 Euchips/Lifud)	3200/-

NEW ARRIVAL


Roast



Watt	: 12w Round Spotlight
Dimension	: 70 X 80 mm
Cut Out	: 65 mm
Beam Angle	: 36°
Type	List Price
CCT & Dim RF	2000/-
CCT & Dim RF+BLE V5	2150/-
Single Color	1400/-
Single Color Triac Dim	1800/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2850/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

NEW ARRIVAL

Roast



Watt	: 20w Round Spotlight
Dimension	: 85 X 80 mm
Cut Out	: 75 mm
Beam Angle	: 36°
Type	List Price
CCT & Dim RF	2700/-
CCT & Dim RF+BLE V5	2850/-
Single Color	1800/-
Single Color Triac Dim	2450/-
CCT & Dim Triac	3600/-
Single Color Dim (DT6 Euchips/Lifud)	3650/-
CCT & Dim (DT8 Euchips/Lifud)	4100/-

Sapphire



Watt	: 07w Round Spotlight
Dimension	: 62 X 85 mm
Cut Out	: 55mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1700/-
CCT & Dim RF+BLE V5	1850/-
Single Color	1050/-
Single Color Triac Dim	1550/-
CCT & Dim Triac	2350/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3300/-

Sapphire



Watt	: 12w Round Spotlight
Dimension	: 85 X 104 mm
Cut Out	: 75 mm
Beam Angle	: 24/36/60°
Type	List Price
CCT & Dim RF	2000/-
CCT & Dim RF+BLE V5	2150/-
Single Color	1400/-
Single Color Triac Dim	1850/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3550/-

Sapphire

Double



Watt	: 2 X 07w Round Double Spotlight
Dimension	: 140 X 78 X 90 mm
Cut Out	: 125 X 65 mm
Beam Angle	: 24/36/60°
Type	List Price
CCT & Dim RF	3400/-
CCT & Dim RF+BLE V5	3750/-
Single Color	2150/-
Single Color Triac Dim	3100/-
CCT & Dim Triac	4700/-
Single Color Dim (DT6 Euchips/Lifud)	5450/-
CCT & Dim (DT8 Euchips/Lifud)	6600/-

Sapphire

Double



Watt	: 2 X 12w Round Spotlight
Dimension	: 195 X 105 X 115 mm
Cut Out	: 180 X 90 mm
Beam Angle	: 24/36/60°
Type	List Price
CCT & Dim RF	4050/-
CCT & Dim RF+BLE V5	4350/-
Single Color	2900/-
Single Color Triac Dim	3800/-
CCT & Dim Triac	5300/-
Single Color Dim (DT6 Euchips/Lifud)	6150/-
CCT & Dim (DT8 Euchips/Lifud)	7200/-

Sapphire



Trimless



Watt	: 07w Round Trimless Spotlight
Dimension	: 55 X 85 mm
Cut Out	: 55 mm
Beam Angle	: 24/36/55°
Type	List Price
CCT & Dim RF	1750/-
CCT & Dim RF+BLE V5	1900/-
Single Color	1100/-
Single Color Triac Dim	1600/-
CCT & Dim Triac	2400/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Sapphire

Trimless

Watt	: 12w Round Trimless Spotlight
Dimension	: 75 X 105 mm
Cut Out	: 75 mm
Beam Angle	: 24/36/60°
Type	List Price
CCT & Dim RF	2050/-
CCT & Dim RF+BLE V5	2250/-
Single Color	1450/-
Single Color Triac Dim	1900/-
CCT & Dim Triac	2650/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3650/-

Sparo



Deep




Watt	: 10w Deep Hole Spotlight
Dimension	: 52 X 66 mm
Cut Out	: 42 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	1200/-
Single Color Triac Dim	1700/-
CCT & Dim Triac	2550/-
Single Color Dim (DT6 Euchips/Lifud)	2800/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Sparo

Deep Trimless

Watt	: 10w Deep Trimless Spotlight
Dimension	: 70 X 66 mm
Cut Out	: 42 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1850/-
CCT & Dim RF+BLE V5	2000/-
Single Color	1250/-
Single Color Triac Dim	1750/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2850/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

Sparo

Pin Hole




Watt	: 10w Pin Hole Spotlight
Dimension	: 52 X 66 mm
Cut Out	: 42 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1800/-
CCT & Dim RF+BLE V5	1950/-
Single Color	1200/-
Single Color Triac Dim	1700/-
CCT & Dim Triac	2550/-
Single Color Dim (DT6 Euchips/Lifud)	2800/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Sparo

Pin Trimless






Watt	: 10w Pin Hole Trimless Spotlight
Dimension	: 70 X 66 mm
Cut Out	: 42 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1850/-
CCT & Dim RF+BLE V5	2000/-
Single Color	1250/-
Single Color Triac Dim	1750/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2850/-
CCT & Dim (DT8 Euchips/Lifud)	3450/-

NEW ARRIVAL

Sparo

Deep Trimless

Available from 1st OCT

Watt	: 10w Round Acrylic Spotlight
Dimension	: 52 X 99 mm
Cut Out	: 42 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1300/-
Single Color Triac Dim	1800/-
CCT & Dim Triac	2650/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3500/-

NEW ARRIVAL

Sparo

Pin Hole




Available from 1st OCT

Watt	: 10w Acrylic Cylindrical Spotlight
Dimension	: 52 X 108 mm
Cut Out	: 42 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1300/-
Single Color Triac Dim	1800/-
CCT & Dim Triac	2650/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3500/-

Brisk




Watt	: 7w Round Spotlight
Dimension	: 57 X 72 mm
Cut Out	: 48 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1650/-
CCT & Dim RF+BLE V5	1800/-
Single Color	1050/-
Single Color Triac Dim	1450/-
CCT & Dim Triac	2250/-
Single Color Dim (DT6 Euchips/Lifud)	2650/-
CCT & Dim (DT8 Euchips/Lifud)	3200/-

Brisk




Watt	: 12w Round Spotlight
Dimension	: 68 X 80 mm
Cut Out	: 58 mm
Beam Angle	: 24/36/50°
Type	List Price
CCT & Dim RF	1850/-
CCT & Dim RF+BLE V5	2000/-
Single Color	1200/-
Single Color Triac Dim	1650/-
CCT & Dim Triac	2450/-
Single Color Dim (DT6 Euchips/Lifud)	2800/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Beam




Watt	: 7w Round Spotlight
Dimension	: 69 X 54 mm
Cut Out	: 56 mm
Beam Angle	: 24/38°

Type	List Price
CCT & Dim RF	2350/-
CCT & Dim RF+BLE V5	2450/-
Single Color	1700/-
Single Color Triac Dim	2100/-
CCT & Dim Triac	2900/-
Single Color Dim (DT6 Euchips/Lifud)	3200/-
CCT & Dim (DT8 Euchips/Lifud)	3800/-

NEW ARRIVAL

Beam




Available From 15th OCT

Watt	: 7w Round Trimless Spotlight
Dimension	: 45 X 55 mm
Cut Out	: 65 mm
Beam Angle	: 24/38°

Type	List Price
CCT & Dim RF	2450/-
CCT & Dim RF+BLE V5	2550/-
Single Color	1800/-
Single Color Triac Dim	2200/-
CCT & Dim Triac	3000/-
Single Color Dim (DT6 Euchips/Lifud)	3300/-
CCT & Dim (DT8 Euchips/Lifud)	3900/-

Meteor Spot




Watt	: 12w Wallwasher Spotlight
Dimension	: 80 X 59 mm
Cut Out	: 70 mm
Beam Angle	: 55°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1200/-
Single Color Triac Dim	1650/-
CCT & Dim Triac	2550/-
Single Color Dim (DT6 Euchips/Lifud)	2900/-
CCT & Dim (DT8 Euchips/Lifud)	3600/-

Steam

IP-44



Watt	: 12w Round Spotlight
Dimension	: 85 X 60 mm
Cut Out	: 72 mm
Beam Angle	: 36/60°

Type	List Price
CCT & Dim RF	1800/- 1950/-
CCT & Dim RF+BLE V5	1950/- 2100/-
Single Color	1100/- 1200/-
Single Color Triac Dim	1550/- 1700/-
CCT & Dim Triac	2450/- 2600/-
Single Color Dim (DT6 Euchips/Lifud)	2850/- 3100/-
CCT & Dim (DT8 Euchips/Lifud)	3550/- 4000/-

Cloud

IP-44



Watt	: 15w Round Spotlight
Dimension	: 85 X 70 mm
Cut Out	: 75mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2150/-
CCT & Dim RF+BLE V5	2300/-
Single Color	1600/-
Single Color Triac Dim	1900/-
CCT & Dim Triac	2750/-
Single Color Dim (DT6 Euchips/Lifud)	3000/-
CCT & Dim (DT8 Euchips/Lifud)	3950/-

Absolute



Watt	: 12w Round Downlight
Dimension	: 88 X 65 mm
Cut Out	: 75 mm
Beam Angle	: 90°

Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2050/-
Single Color	1300/-
Single Color Triac Dim	1650/-
CCT & Dim Triac	2500/-
Single Color Dim (DT6 Euchips/Lifud)	2750/-
CCT & Dim (DT8 Euchips/Lifud)	3400/-

Absolute



Watt	: 20w Round Spotlight
Dimension	: 110 X 75 mm
Cut Out	: 95 mm
Beam Angle	: 90°

Type	List Price
CCT & Dim RF	2800/-
CCT & Dim RF+BLE V5	2950/-
Single Color	1800/-
Single Color Triac Dim	2550/-
CCT & Dim Triac	3750/-
Single Color Dim (DT6 Euchips/Lifud)	3750/-
CCT & Dim (DT8 Euchips/Lifud)	4250/-

Absolute



Watt	: 30w Round Spotlight
Dimension	: 136 X 96 mm
Cut Out	: 125 mm
Beam Angle	: 90°

Type	List Price
CCT & Dim RF	3450/-
CCT & Dim RF+BLE V5	3650/-
Single Color	2500/-
Single Color Triac Dim	3450/-
CCT & Dim Triac	4400/-
Single Color Dim (DT6 Euchips/Lifud)	4300/-
CCT & Dim (DT8 Euchips/Lifud)	4950/-


Absolute



Watt	: 36w Round Spotlight
Dimension	: 160 X 110 mm
Cut Out	: 150 mm
Beam Angle	: 90°

Type	List Price
CCT & Dim RF	4400/-
CCT & Dim RF+BLE V5	5000/-
Single Color	3300/-


Elan



Watt	: 3w Square Laserblade
Dimension	: 45 X 45 X 42 mm
Cut Out	: 35 X 35 mm
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF+BLE V5	1550/-
Single Color	650/-

Elan



Watt	: 10w Square Spotlight
Dimension	: 75 X 75 X 42 mm
Cut Out	: 70 X 70 mm
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	2050/-
CCT & Dim RF+BLE V5	2150/-
Single Color	1100/-
Single Color Triac Dim	1550/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2550/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-


Elan



Watt	: 10w Round Laserblade
Dimension	: 85 X 38 mm
Cut Out	: 75mm
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	2050/-
CCT & Dim RF+BLE V5	2150/-
Single Color	1100/-
Single Color Triac Dim	1550/-
CCT & Dim Triac	2600/-
Single Color Dim (DT6 Euchips/Lifud)	2550/-
CCT & Dim (DT8 Euchips/Lifud)	3350/-

Elan



Watt	: 12w Rectangle Laserblade
Dimension	: 147 X 45 X 42 mm
Cut Out	: 142 X 35 mm
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	1950/-
CCT & Dim RF+BLE V5	2100/-
Single Color	950/-
Single Color Triac Dim	1350/-
CCT & Dim Triac	2550/-
Single Color Dim (DT6 Euchips/Lifud)	2600/-
CCT & Dim (DT8 Euchips/Lifud)	3500/-

NEW ARRIVAL

Elan

Wallwasher & Diffused Wallwasher



Watt	: 12w Rectangle Wallwasher
Dimension	: 147 X 45 X 42 mm
Cut Out	: 142 X 35 mm
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	1950/-
CCT & Dim RF+BLE V5	2100/-
Single Color	950/-
Single Color Triac Dim	1350/-
CCT & Dim Triac	2550/-
Single Color Dim (DT6 Euchips/Lifud)	2600/-
CCT & Dim (DT8 Euchips/Lifud)	3500/-

Elan



Watt	: 10w Square Surface Laserblade
Dimension	: 66 X 66 X 83 mm
Cut Out	: -
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	3100/-
CCT & Dim RF+BLE V5	3250/-
Single Color	2150/-


Elan



Watt	: 10w Round Surface Laserblade
Dimension	: 70 X 83 mm
Cut Out	: -
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	3100/-
CCT & Dim RF+BLE V5	3250/-
Single Color	2150/-

Elan



Watt	: 12w Rectangle Laserblade
Dimension	: 138 X 36 X 83 mm
Cut Out	: -
Beam Angle	: 24/36°

Type	List Price
CCT & Dim RF	3650/-
CCT & Dim RF+BLE V5	3800/-
Single Color	2700/-

Muscle

Round



Watt	: 12w Round Spotlight
Dimension	: 54 X 60 mm
Cut Out	: 45mm
Beam Angle	: 36°

Type	List Price
CCT & Dim RF	2200/-
CCT & Dim RF+BLE V5	2350/-
Single Color	1600/-
Single Color Triac Dim	2000/-
Single Color Dim (DT6 Euchips/Lifud)	3050/-
CCT & Dim (DT8 Euchips/Lifud)	3700/-

Muscle Square



Watt	: 12w Square Spotlight	
Dimension	: 55 X 55 X 60 mm	
Cut Out	: 45 X 45 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	2400/-	
CCT & Dim RF+BLE V5	2650/-	
Single Color	1900/-	
CCT & Dim Triac	2250/-	
Single Color Dim (DT6 Euchips/Lifud)	3300/-	
CCT & Dim (DT8 Euchips/Lifud)	4000/-	

Muscle Trimless



Watt	: 12w Round Spotlight	
Dimension	: 65 X 60 mm	
Cut Out	: 45 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	2400/-	
CCT & Dim RF+BLE V5	2650/-	
Single Color	1900/-	
CCT & Dim Triac	2250/-	
Single Color Dim (DT6 Euchips/Lifud)	3300/-	
CCT & Dim (DT8 Euchips/Lifud)	4000/-	

Muscle Movable Trimless



Watt	: 12w Round Spotlight	
Dimension	: 80 X 60 mm	
Cut Out	: 60 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	2450/-	
CCT & Dim RF+BLE V5	2600/-	
Single Color	1800/-	
CCT & Dim Triac	2200/-	
Single Color Dim (DT6 Euchips/Lifud)	3300/-	
CCT & Dim (DT8 Euchips/Lifud)	3900/-	

Muscle Double



Watt	: 12w Round Spotlight	
Dimension	: 140 X 69 X 90 mm	
Cut Out	: 135 X 58 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	4050/-	
CCT & Dim RF+BLE V5	4350/-	
Single Color	2850/-	
CCT & Dim Triac	3600/-	
Single Color Dim (DT6 Euchips/Lifud)	3750/-	
CCT & Dim (DT8 Euchips/Lifud)	6950/-	

Marshall



Watt	: 12w Round Movable Spotlight	
Dimension	: 82 X 95 mm	
Cut Out	: 75 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	3050/-	
CCT & Dim RF+BLE V5	3200/-	
Single Color	2400/-	
Single Color Triac Dim	2850/-	
CCT & Dim Triac	3650/-	
Single Color Dim (DT6 Euchips/Lifud)	3950/-	
CCT & Dim (DT8 Euchips/Lifud)	4550/-	

Marshall Double



Watt	: 2X12w Round Movable Spotlight	
Dimension	: 82 X 152 X 95 mm	
Cut Out	: 75 X 145 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	6200/-	
CCT & Dim RF+BLE V5	6450/-	
Single Color	4800/-	
Single Color Triac Dim	5700/-	
CCT & Dim Triac	7350/-	
Single Color Dim (DT6 Euchips/Lifud)	7900/-	
CCT & Dim (DT8 Euchips/Lifud)	9100/-	

Miracle



Watt	: 12w Round Spotlight	
Dimension	: 80 X 62 mm	
Cut Out	: 75 mm	
Beam Angle	: 15-50° Adjustable	
Type	List Price	
CCT & Dim RF	2300/-	
CCT & Dim RF+BLE V5	2450/-	
Single Color	1700/-	
Single Color Triac Dim	2100/-	
CCT & Dim Triac	2900/-	
Single Color Dim (DT6 Euchips/Lifud)	3200/-	
CCT & Dim (DT8 Euchips/Lifud)	3800/-	

NEW ARRIVAL

Trace



Watt	: 20/25w Round Movable Spotlight	
Dimension	: 106 X 77 mm	
Cut Out	: 90 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	3500/- 3650/-	
CCT & Dim RF+BLE V5	3650/- 3800/-	
Single Color	2550/- 2650/-	
Single Color Triac Dim	3250/- 3400/-	
CCT & Dim Triac	4450/- 4600/-	
Single Color Dim (DT6 Euchips/Lifud)	4450/- 4600/-	
CCT & Dim (DT8 Euchips/Lifud)	4950/- 5100/-	

NEW ARRIVAL

Trace



Watt	: 36/36w Round Movable Spotlight	
Dimension	: 130 X 90 mm	
Cut Out	: 115 mm	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	4050/- 4450/-	
CCT & Dim RF+BLE V5	4250/- 5000/-	
Single Color	3150/- 3250/-	
Single Color Triac Dim	4100/-	
CCT & Dim Triac	5000/-	
Single Color Dim (DT6 Euchips/Lifud)	5000/-	
CCT & Dim (DT8 Euchips/Lifud)	5500/-	

NEW ARRIVAL

Drift



Watt : 20/25w Round Spotlight
 Dimension : 105 X 85 mm
 Cut Out : 90 mm
 Beam Angle : 36°

Type	List Price
CCT & Dim RF	3200/- 3350/-
CCT & Dim RF+BLE V5	3350/- 3500/-
Single Color	2250/- 2350/-
Single Color Triac Dim	2950/- 3100/-
CCT & Dim Triac	4150/- 4250/-
Single Color Dim (DT6 Euchips/Lifud)	4150/- 4300/-
CCT & Dim (DT8 Euchips/Lifud)	4650/- 4800/-

NEW ARRIVAL


Drift



Watt : 30/36w Wallwasher Spotlight
 Dimension : 130 X 105 mm
 Cut Out : 115 mm
 Beam Angle : 36°

Type	List Price
CCT & Dim RF	3950/- 4350/-
CCT & Dim RF+BLE V5	4150/- 4850/-
Single Color	3050/- 3150/-
Single Color Triac Dim	3950/-
CCT & Dim Triac	4850/-
Single Color Dim (DT6 Euchips/Lifud)	4800/-
CCT & Dim (DT8 Euchips/Lifud)	5400/-


Bullet



Watt : 07w Surface Spotlight
 Dimension : 45 X 100 mm
 Cut Out : -
 Beam Angle : 24/36/50°

Type	List Price
Single Color	1250/-


Bullet



Watt : 12w Surface Spotlight
 Dimension : 55 X 113 mm
 Cut Out : -
 Beam Angle : 24/36/50°

Type	List Price
CCT & Dim RF	3250/-
CCT & Dim RF+BLE V5	3650/-
Single Color	1550/-


Bullet



Watt : 20w Surface Spotlight
 Dimension : 62 X 130 mm
 Cut Out : -
 Beam Angle : 24/36/50°

Type	List Price
CCT & Dim RF	2600/-
CCT & Dim RF+BLE V5	2750/-
Single Color	1900/-

Joy



Watt : 12w Round Surface Spotlight
 Dimension : 45 X 100 mm
 Cut Out : -
 Beam Angle : 36°

Type	List Price
Single Color	1260/-

Joy



Watt : 12w Round Concealed Spotlight
 Dimension : 45 X 100 mm
 Cut Out : 42 mm
 Beam Angle : 36°

Type	List Price
CCT & Dim RF	2500/-
CCT & Dim RF+BLE V5	2650/-
Single Color	1900/-

Esteem



Watt : 12w Movable Surface Spotlight
 Dimension : 63 X 160 mm
 Cut Out : -
 Beam Angle : 36°

Type	List Price
CCT & Dim RF	3000/-
CCT & Dim RF+BLE V5	3200/-
Single Color	2350/-

Pace



Watt : 12w Movable Surface Spotlight
 Dimension : 80 X 80 X 110 mm
 Cut Out : -
 Beam Angle : 36°

Type	List Price
CCT & Dim RF	2900/-
CCT & Dim RF+BLE V5	3050/-
Single Color	2100/-

Pace




Watt	: 12w Movable Surface Spotlight	
Dimension	: 80 X 110 mm	
Cut Out	: -	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	2900/-	
CCT & Dim RF+BLE V5	3050/-	
Single Color	2100/-	

Shade



Watt	: 12w Square Surface Spotlight	
Dimension	: 78 X 78 X 90 mm	
Cut Out	: -	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	3100/-	
CCT & Dim RF+BLE V5	3250/-	
Single Color	2350/-	

Shade



Watt	: 12w Round Surface Spotlight	
Dimension	: 80 X 90 mm	
Cut Out	: -	
Beam Angle	: 36°	
Type	List Price	
CCT & Dim RF	3100/-	
CCT & Dim RF+BLE V5	3250/-	
Single Color	2350/-	

NEW
ARRIVAL

Marvell

Beam Angle Adjustable



Available from 15th OCT

Watt	: 12w Round Tracklight	
Dimension	: 55 X 140 mm	
Cut Out	: -	
Beam Angle	: 10-55° Adjustable	
Type	List Price	
CCT & Dim RF	3350/-	
CCT & Dim RF+BLE V5	3500/-	
Single Color	2400/-	
Single Color Triac Dim	3100/-	
CCT & Dim Triac	4300/-	
Single Color Dim (DT6 Euchips/Lifud)	4300/-	
CCT & Dim (DT8 Euchips/Lifud)	4800/-	

NEW
ARRIVAL

Marvell

Beam Angle Adjustable



Available from 15th OCT

Watt	: 20w Round Tracklight	
Dimension	: 65 X 147 mm	
Cut Out	: -	
Beam Angle	: 10-55° Adjustable	
Type	List Price	
CCT & Dim RF	3800/-	
CCT & Dim RF+BLE V5	3950/-	
Single Color	2850/-	
Single Color Triac Dim	3550/-	
CCT & Dim Triac	4800/-	
Single Color Dim (DT6 Euchips/Lifud)	4800/-	
CCT & Dim (DT8 Euchips/Lifud)	5250/-	

NEW
ARRIVAL

Marvell

Beam Angle Adjustable



Available from 15th OCT

Watt	: 30w Round Tracklight	
Dimension	: 75 X 159 mm	
Cut Out	: -	
Beam Angle	: 10-55° Adjustable	
Type	List Price	
CCT & Dim RF	4350/-	
CCT & Dim RF+BLE V5	4600/-	
Single Color	3500/-	
Single Color Triac Dim	4400/-	
CCT & Dim Triac	5300/-	
Single Color Dim (DT6 Euchips/Lifud)	5250/-	
CCT & Dim (DT8 Euchips/Lifud)	5850/-	

Vellar



Watt	: 30w Round Tracklight	
Dimension	: 185 X 145 X 74 mm	
Cut Out	: -	
Beam Angle	: 15/24/36°	
Type	List Price	
CCT & Dim RF	3700/-	
CCT & Dim RF+BLE V5	3900/-	
Single Color	2800/-	
Single Color Triac Dim	3700/-	
CCT & Dim Triac	4600/-	
Single Color Dim (DT6 Euchips/Lifud)	4600/-	
CCT & Dim (DT8 Euchips/Lifud)	5100/-	

Vellar



Watt	: 36w Round Tracklight	
Dimension	: 192 X 150 X 90 mm	
Cut Out	: -	
Beam Angle	: 15/24/36°	
Type	List Price	
CCT & Dim RF	4700/-	
CCT & Dim RF+BLE V5	5200/-	
Single Color	3500/-	

Hope



Watt	: 03w Round Spotlight	
Dimension	: 20 X 72 mm	
Cut Out	: 17 mm	
Beam Angle	: 15/24°	
Type	List Price	
Single Color	750/-	

NEW ARRIVAL

Mint



Watt	: 03w Round Spotlight
Dimension	: 20 X 63 mm
Cut Out	: 17 mm
Beam Angle	: 15/24°
Type	List Price
Single Color	750/-

Limited Stock

Adore

Laser



Watt	: 08w Round Laserblade
Dimension	: 80 X 35 mm
Cut Out	: 74mm
Beam Angle	: 34°
Type	List Price
CCT & Dim RF	2850/-
CCT & Dim RF+BLE V5	3050/-
Single Color	1650/-
Single Color Triac Dim	2500/-

Limited Stock

Adore

Laser



Watt	: 15w Round Laserblade
Dimension	: 128 X 36 mm
Cut Out	: 120 mm
Beam Angle	: 15/24/36°
Type	List Price
CCT & Dim RF	3900/-
CCT & Dim RF+BLE V5	4100/-
Single Color	2400/-
Single Color Triac Dim	3400/-

Limited Stock

Adore

Laser




Watt	: 20w Round Laserblade
Dimension	: 175 X 36 mm
Cut Out	: 165 mm
Beam Angle	: 34°
Type	List Price
CCT & Dim RF	5000/-
CCT & Dim RF+BLE V5	5200/-
Single Color	3300/-
Single Color Triac Dim	4400/-

Limited Stock

Adore

Laser Trimless




Watt	: 08w Round Laserblade
Dimension	: 71 X 35 mm
Cut Out	: -
Beam Angle	: 34°
Type	List Price
CCT & Dim RF	3250/-
CCT & Dim RF+BLE V5	3450/-
Single Color	1700/-
Single Color Triac Dim	2650/-

Limited Stock

Adore

Laser Trimless



Watt	: 15w Round Spotlight
Dimension	: 115 X 35 mm
Cut Out	: -
Beam Angle	: 34°
Type	List Price
CCT & Dim RF	4000/-
CCT & Dim RF+BLE V5	4200/-
Single Color	2500/-
Single Color Triac Dim	3500/-

Limited Stock

Adore

Spotlight



Watt	: 07w Round Spotlight
Dimension	: 70 X 58mm
Cut Out	: -
Beam Angle	: 24°
Type	List Price
CCT & Dim RF	2800/-
CCT & Dim RF+BLE V5	3000/-
Single Color	1700/-
Single Color Triac Dim	2600/-

Limited Stock

Adore

Spotlight



Watt	: 12w Round Spotlight
Dimension	: 116 X 76 mm
Cut Out	: -
Beam Angle	: 24°
Type	List Price
CCT & Dim RF	2500/-
CCT & Dim RF+BLE V5	2700/-
Single Color	1600/-
Single Color Triac Dim	2200/-

Limited Stock

Adore

Downlight



Watt	: 06w Round Downlight
Dimension	: 70 X 56 mm
Cut Out	: -
Beam Angle	: 100°
Type	List Price
CCT & Dim RF	1700/-
CCT & Dim RF+BLE V5	1900/-
Single Color	1000/-
Single Color Triac Dim	1500/-

Limited Stock

Adore Downlight



Watt	: 12w Round Downlight
Dimension	: 115 X 78 mm
Cut Out	: -
Beam Angle	: 100°
Type	List Price
CCT & Dim RF	1900/-
CCT & Dim RF+BLE V5	2100/-
Single Color	1250/-
Single Color Triac Dim	1700/-

Limited Stock

Adore Track Light



Watt	: 03w Adj. Beam Angle Tracklight
Dimension	: 71 X 70 mm
Cut Out	: -
Beam Angle	: 24°
Type	List Price
Single Color	1400/-

Limited Stock

Adore Track Light



Watt	: 07wAdj. Beam Angle Tracklight
Dimension	: 116 X 100 mm
Cut Out	: -
Beam Angle	: 24°
Type	List Price
CCT & Dim RF	2800/-
CCT & Dim RF+BLE V5	3000/-
Single Color	2000/-
Single Color Triac Dim	2400/-

Button Remote



Type	List Price
Button Remote	450/-

Multifunction Controller



Type	List Price
Multifunction Remote Controller	700/-

Scene Mode Controller



Type	List Price
Scene Mode Remote Controller	2200/-

Gateway BLE



Type	List Price
Gateway BLE	3200/-

Term & Condition

- ** All Dimension and cut out data for reference only. Please refer original product for cut out
- ** Prices are subject to change without prior notice
- ** By Default LED Chip Bridgelux
- ** GST Extra as applicable
- ** 3500k and 5000k available on special request
- **All image used are for illustrative purposes only and is not intended to reflect actual product performance
- **80/90CRI (available on request)



Add for Drivers & LED in Price List

CC Driver (Single Color)

PHILIPS	12w :- 90/- 15w :- 190/-	18w :- 200/-	20w :- 360/-	30w :- 325/-
FULHAM	7w :- 140/-	12w :- 100/- 15w :- 40/-	20w-25w :- 580/-	30w :- 380/- 36w :- 450/-

Dali Dimmable Dt6 (CCT & Dim DT6)

L Tech	7w :- 1200/-	12w :- 1200/-	15w :- 1200/-	30w :- 1200/-
--------	--------------	---------------	---------------	---------------

Dali Tunable & Dimmable Dt8 (CCT & Dim DT8)

L Tech	7w :- 1200/-	12w :- 1200/-	15w :- 1200/-	20-30w :- 1200/-
--------	--------------	---------------	---------------	------------------

Analog 0-10 (Single Color)

EUChips/Lifud	7-12w :- 1350/-	15w :- 1550/-	20w :- 1550/-	25-30w :- 1350/-
---------------	-----------------	---------------	---------------	------------------

COB LED (Single Color)

CREE LED	5w-7w :- 25/-	10w-12w :- 55/-	15w-20w :- 175/-	20-30w :- 200/-
----------	---------------	-----------------	------------------	-----------------

Address :